

# Multi-hadron Triggered Azimuthal Correlations in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV from STAR

Brooke Haag

UC Davis

## Outline



- Introduction / Analysis Technique
  - Motivation for multi-hadron triggers
  - Explanation of a multi-hadron trigger
- Results
  - Away side yields for different  $p_T$  trigger bins,
    - 8 to 10 GeV and 12 to 15 GeV
  - Ratios of Cluster triggers to di-hadron triggers
- Conclusions and Outlook

Presented at the Annual Meeting of the  
Division of Nuclear Physics  
October 10-13, 2007  
Newport News, Virginia



# Introduction


- Fragmentation function  $D(z)$  depends on  $z$  defined as  $p_T/E_{T,jet}$
- Current method of Di-hadron correlation is insensitive to true fragmentation functions
- Try multi-hadron (cluster) trigger
  - Better constrain  $E_{T,jet} \sim p_T(trig)$ , better approximation of fragmentation function
  - Gain statistics



Find this


A daunting challenge:

In this




# Analysis Technique


- Collect arrays of seed and associated tracks with a minimum seed  $p_T$  cut (5.0 GeV) and a minimum associated  $p_T$  cut
- Define a cone radius ( $R=0.3$ )
  - $p_T$  trigger =  $p_T$  sum of all the associated tracks (secondary seeds) in that cone
- Plot  $\Delta\phi$  between the highest  $p_T$  seed in the cone and associated tracks
  - Subtract flat background for Au+Au
  - Extract Yields:  
 $p_T$  (trigger) = 8 to 10 GeV & 12 to 15 GeV  
 $p_T$  (assoc) = 3 to 4, ... , 10 to 11 GeV



Di-hadron correlation




Multi-hadron trigger





$dN/d\Delta\phi$  - jet  $p_T$ , 12 to 15 GeV,  
associated  $p_T$ , 3 to 4 GeV

- Plot  $\Delta\phi$  between the highest  $p_T$  seed in the cone and associated tracks
  - Subtract flat background for Au+Au
  - Extract Yields:
    - $p_T$  (trigger) = 8 to 10 GeV & 12 to 15 GeV
    - $p_T$  (assoc) = 3 to 4, ... , 10 to 11 GeV




# Combinatorial Background

- $p_T$  seed  $> 5.0$  GeV
  - Vary minimum secondary seed  $p_T$  to test effect of combinatorial background in AuAu
    - 2.0 GeV
    - 3.0 GeV
    - 4.0 GeV




# Comparison of single vs. cluster trigger statistics - d+Au

Minimum secondary seed cut = 2.0 GeV



Di-hadron correlation




Multi-hadron triggers

- gain statistics by allowing clusters to add up to  $p_T(\text{trig})$ , not just requiring a single particle to carry  $p_T(\text{trig})$




# Away side yields

Minimum secondary seed cut = 2.0 GeV



Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.81




Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.88




# Away side yields

Minimum secondary seed cut = 3.0 GeV



Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.65




Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.80






# Away side yields

Minimum secondary seed cut = 4.0 GeV



Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.48




Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.85




# Ratios: Single+Multi-hadron triggers to Di-hadrons

-  $8 \text{ GeV} < p_T \text{ trig} < 10 \text{ GeV}$  -



# Ratios: Single+Multi-hadron triggers to Di-hadrons

-  $12 \text{ GeV} < p_T \text{ trig} < 15 \text{ GeV}$  -



# Conclusions and Outlook

- Investigated Multi-hadron triggers as a method of better approximating fragmentation functions
  - First ratios of Single+Multi-hadron trigger yields to di-hadron yields show slopes not different, kinematics not very different
  - Yields for Multi-hadron triggers show increase with increasing minimum secondary seed cuts in the case for 8 to 10 GeV  $p_T$  triggers
    - Need to investigate how random clusters are contributing to effect

## Next Steps:

- Pythia simulations to understand expectations for multi-hadron trigger yields
- Study yields for different jet cone radii
- Look at higher  $p_T$  trigger > 15 GeV





---

# Backup Slides



# Away side yields

Minimum secondary seed cut = 2.0 GeV




Fraction of Multi-hadron triggers to Single+Multi triggers  
 = 0.81

Fraction of Multi-hadron triggers to Single+Multi triggers  
 =




# Away side yields

Minimum secondary seed cut = 3.0 GeV



Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.65




Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.77




# Away side yields

Minimum secondary seed cut = 4.0 GeV



Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.48



Fraction of Multi-hadron triggers to Single+Multi triggers  
= 0.88





# Ratios: Single+Multi-hadron triggers to Di-hadrons

-  $10 \text{ GeV} < p_T \text{ trig} < 12 \text{ GeV}$  -

