

Multi-hadron Triggered Azimuthal Correlations in Au+Au Collisions at $\sqrt{s_{NN}} = 200$ GeV from STAR

Brooke Haag

UC Davis

Outline


- Introduction / Analysis Technique
 - Motivation for multi-hadron triggers
 - Explanation of a multi-hadron trigger
- Results
 - Away side yields for different p_T trigger bins,
 - 8 to 10 GeV and 12 to 15 GeV
 - Ratios of Cluster triggers to di-hadron triggers
- Conclusions and Outlook

Presented at the Annual Meeting of the
Division of Nuclear Physics
October 10-13, 2007
Newport News, Virginia



Introduction



- Fragmentation function $D(z)$ depends on z defined as $p_T/E_{T,\text{jet}}$
- Current method of Di-hadron correlation is insensitive to true fragmentation functions
- Try multi-hadron (cluster) trigger
 - Better constrain $E_{T,\text{jet}} \sim p_T(\text{trig})$, better approximation of fragmentation function
 - Gain statistics



Find this


A daunting challenge:

In this




Analysis Technique


- Collect arrays of seed and associated tracks with a minimum seed p_T cut (5.0 GeV) and a minimum associated p_T cut
- Define a cone radius ($R=0.3$)
 - p_T trigger = p_T sum of all the associated tracks (secondary seeds) in that cone
- Plot $\Delta\phi$ between the highest p_T seed in the cone and associated tracks
 - Subtract flat background for Au+Au
 - Extract Yields:
 p_T (trigger) = 8 to 10 GeV & 12 to 15 GeV
 p_T (assoc) = 3 to 4, ... , 10 to 11 GeV



Di-hadron correlation




Multi-hadron trigger





$dN/d\Delta\phi$ - jet p_T , 12 to 15 GeV,
associated p_T , 3 to 4 GeV

- Plot $\Delta\phi$ between the highest p_T seed in the cone and associated tracks
 - Subtract flat background for Au+Au
 - Extract Yields:
- p_T (trigger) = 8 to 10 GeV & 12 to 15 GeV
 p_T (assoc) = 3 to 4, ... , 10 to 11 GeV




Combinatorial Background

- p_T seed > 5.0 GeV
 - Vary minimum secondary seed p_T to test effect of combinatorial background in AuAu
 - 2.0 GeV
 - 3.0 GeV
 - 4.0 GeV



Comparison of single vs. cluster trigger statistics - d+Au



Di-hadron correlation



Multi-hadron triggers

- gain statistics by allowing clusters to add up to p_T(trig), not just requiring a single particle to carry p_T(trig)



Away side yields

Minimum secondary seed cut = 2.0 GeV





Fraction of Multi-hadron triggers to Single+Multi triggers
= 0.81

Fraction of Multi-hadron triggers to Single+Multi triggers
= 0.88



Away side yields

Minimum secondary seed cut = 3.0 GeV





Fraction of Multi-hadron triggers to Single+Multi triggers
= 0.65

Fraction of Multi-hadron triggers to Single+Multi triggers
= 0.80



Away side yields

Minimum secondary seed cut = 4.0 GeV



Fraction of Multi-hadron triggers to Single+Multi triggers
= 0.48




Fraction of Multi-hadron triggers to Single+Multi triggers
= 0.85



Ratios: Single+Multi-hadron triggers to Di-hadrons

- $8 \text{ GeV} < p_T \text{ trig} < 10 \text{ GeV}$ -




Ratio Cluster Analysis/di-hadron Analysis



Ratios: Single+Multi-hadron triggers to Di-hadrons

- $12 \text{ GeV} < p_T \text{ trig} < 15 \text{ GeV}$ -

Ratio Cluster Analysis/di-hadron Analysis



Conclusions and Outlook

- Investigated Multi-hadron triggers as a method of better approximating fragmentation functions
 - First ratios of Single+Multi-hadron trigger yields to di-hadron yields show slopes not different, kinematics not very different
 - Yields for Multi-hadron triggers show increase with increasing minimum secondary seed cuts in the case for 8 to 10 GeV p_T triggers
 - Need to investigate how random clusters are contributing to this effect



Next Steps:

- Pythia simulations to understand expectations for multi-hadron trigger yields
- Study yields for different jet cone radii
- Look at higher p_T trigger > 15 GeV



Away side yields

Minimum secondary seed cut = 2.0 GeV





Fraction of Multi-Hadron Clusters to all Clusters = 0.81

Fraction of Multi-hadron Clusters to all Clusters = 0.88



Away side yields

Minimum secondary seed cut = 3.0 GeV





Fraction of Multi-Hadron Clusters to all Clusters = 0.65

Fraction of Multi-hadron Clusters to all Clusters = 0.80

Away side yields

Minimum secondary seed cut = 4.0 GeV



Fraction of Multi-Hadron Clusters to all Clusters = 0.48

Fraction of Multi-hadron Clusters to all Clusters = 0.85

